

easicook.co.uk

Spare Parts Manual


Leading UK Distributors
of Catering Equipment Since 1977

Sales - Repairs - Spares

Tel: 029 20747567

Fax: 029 20214100

Email: info@easicook.co.uk



Spare Parts List GS 14 / GS 15 GS 14 E / GS 15 E

Edited: 03/97

Revised: 12/00

Part no.: 89002487

Summary


Water supply	Pages 1 and 2
SoftMatik (Softener)	Pages 3 and 4
Tank heating and water drain	Pages 5 and 6
Wash system I	Pages 7 and 8
Wash system II	Pages 9 and 10
Rinsing I	Pages 11 and 12
Rinsing I AquaMatik (non-pressurised boiler)	Pages 13 and 14
Machine no.: GS 14: ...345 471	
GS 15: ...345 620	
Rinsing I AquaMatik (non-pressurised boiler)	Pages 15 and 16
Machine no.: GS 14: 345 472...	
GS 15: 345 621...	
Rinsing II ...396 847	Pages 17 and 18
Rinsing II 396 848...	Pages 19 and 20
Dosing	Pages 21 and 22
Panelling, base frame and accessories	Pages 23 and 24
Door	Pages 25 and 26
Electrical parts I	Pages 27 and 28
Electrical parts II	Pages 29 and 30
Drain pump (option)	Pages 31 and 32
Drain pump (option)	Pages 33 and 34
Anti-freeze (option)	Pages 35 and 36

Please note the following points with regard to this list:

See separate list for racks and accessories.

Enter the required quantity in the column marked "Pc."


if more than 1 part is installed and if this part is not a standard part.



GS 14 / GS 14 E / GS 15 / GS 15 E

Water supply


Item	Designation	Part no.	Pc.	Notes
1	Set tank inlet	61004545		incl. item 1.1
1.1	Seal $\varnothing$ 24 x $\varnothing$ 17 x 2	62001366		
2	Backflow restrictor, sidep	35 01 194		
3	Hose clip $\varnothing$ 14 - $\varnothing$ 24	28 02 108		
4	Hose DN 135 x 3.5 x 940	40 02 002		Per metre
5	Hose DN 13.5 x 3.5 x 1060	40 02 002		Per metre
6	Solenoid valve (flow controller 15l); 220-240V; 50/60Hz	31 06 180		
	Solenoid valve (flow controller 5l); 220-240V; 50/60Hz	31 06 174		SoftMatik
	Solenoid valve (flow controller 15l); 180-220V; 50/60Hz	31 06 198		Japan
	Solenoid valve (flow controller 5l); 180-220V; 50/60Hz	31 06 196		SoftMatik Japan
n.p.	Double solenoid valve 220-240V; 50/60Hz	31 06 182		
6.1	Dirt strainer	31 06 186		
7	Solenoid valve support	62001891		
8	Washer $\varnothing$ 5.3	22 01 300		
9	Hex nut M 5, self-locking	21 05 302		
10	Pan-head screw M 4 x 8	20 10 309		
11	Metal hose DN 15 x 1500; G 3/4"	29 01 303		incl. item 11.1
11.1	Seal $\varnothing$ 24 x $\varnothing$ 16 x 3	80002241	2	
n.p.	Extension hose 1m	29 01 307		Optional extra
n.p.	Seal $\varnothing$ 24 x $\varnothing$ 16 x 3	80002241		Optional extra
12	Dirt trap cpl.	80002153		incl. item 12.1 – 12.3
12.1	Seal $\varnothing$ 24 x $\varnothing$ 16 x 3	80002241	2	
12.2	Double nipple	80002167		
12.3	Dirt strainer	80002728		
13	RC element; 0.15 μ F; 3,3k Ω	31 13 114		only with AquaMatik; connect parallel to item 6
14	Tab connector	31 12 018	2	



GS 14 E / GS 15 E

SoftMatik (Softener)


Item	Designation	Part no.	Pc.	Notes
1	Hose stem, angled $\varnothing$ 18	60002474	2	
1.1	Seal $\varnothing$ 24 x $\varnothing$ 19.5 x 1.5	27 09 010	2	
2	Anti-vacuum device with backflow restrictor	29 03 237		
3	Double nipple G 3/4" x 40	51 01 369		
4	Hose clip $\varnothing$ 14 - $\varnothing$ 24 x 8	28 02 108		
5	Hose DN 13.5 x 3.5 x 1620 (per metre)	40 02 002		
6	Hose DN 13.5 x 3.5 x 730 (per metre)	40 02 002		without Tundish
7	Hose DN 13.5 x 3.5 x 370)	40 02 002		Per metre
8	Hose DN 13.5 x 3.5 x 250 (per metre)	40 02 002		GS14 E without drain pump
	Hose DN 13.5 x 3.5 x 600 (per metre)	40 02 002		GS14 E with drain pump
	Hose DN 9 x 13 x 270 (per metre)	40 01 040		GS15 E
9	Hose connection piece 1/2" x 3/4"	29 06 520		GS 14 E
10	Hose clip $\varnothing$ 20 - $\varnothing$ 30	28 02 109		
11	Fabric hose DN 19 x 3.5 x 60 (per metre)	40 01 016		GS 14 E without drain pump
12	Fabric hose DN 19 x 3.5 x 600 (per metre)	40 01 016	2	GS 15 E
13	T-piece $\varnothing$ 18 x $\varnothing$ 18 x $\varnothing$ 10	29 06 502		GS 15
14	Salt container cpl. (replacement set)	55 28 197		Compr. items 14.1 – 14.7
14.1	Magnetic switch	55 28 198		incl. item 14.1.1
14.1.1	Slip-on cap $\varnothing$ 6 x 15	35 03 023		
14.2	Seal	83000361		
14.3	Cap nut $\varnothing$ 78 x 2.0 x S 65	83000365		up to mach. no. 396 050
	Cap nut S 65 x 4 (transparently blue)	83000380		from mach. no. 396 051
14.4	Sealing cap cpl.	83000372		incl. float insert
14.5	Suction strainer	83000362		
14.6	Jet cpl.	83000355		
14.7	Cap	83000354		
15	Support	60002366		
16	Water softener SoftMatik	83000334		
17	Flow controller 5l			Replaced by solenoid valve 31 06 174
18	Hose DN 9 x 3 x 660	40 01 040	2	Per metre
19	Hose clip $\varnothing$ 10 - $\varnothing$ 16 x 9	28 02 307		
n.p.	Regenerating salt for SoftMatik 24 x 0.5kg	33 05 017		
n.p.	Filling funnel for regenerating salt	35 02 013		
n.p.	Opening pliers	83000366		for item 14.3



GS 14 / GS 14 E / GS 15 / GS 15 E

Tank heating and water drain


Item	Designation	Part no.	Pc.	Notes
1	Set mediamat inlet	55 31 001		GS 15 / GS 15 E
1.1	Seal ø 20,5 x ø 28,5 x 2,0	27 01 002		
1.2	Hose clip ø 20 - 30 x 12	28 02 109		
1.3	Fabric hose DN 16 x 4 x 265 (per metre)	61002797		
2	Hose clip ø 20 - 30 x 12	28 02 109		
3	Reduction hose DN 30 - ø 16 x 5 x 345	60001699		
4	Hose clip ø 32 - 52 x 12	28 02 110		
5	Mediamat cpl. (comprising items 5.1 – 5.4)	55 27 040		
5.1	Head piece inlet ø 30	35 01 124		
5.2	O-ring ø 51 x 3	27 07 043		
5.3	End piece fastener	28 04 041	4	
5.4	Accelerator ø 75 x 169 x ø 4.3	35 01 035		
6	Fabric hose DN 19 x 3.5 x 500 (per metre)	40 01 016		
7	Mediamat connection elbow	29 06 524		
8	Cap nut G 3/4" x ø 20	29 07 203		
9	Seal ø 24 x ø 19.5 x 1,5	27 09 010		
10	Mediamat connection nipple G 1/2" x G 3/4" x 32	30 11 502		
11	O-ring ø 20 x 3.5	27 07 040		
12	Mediamat outlet	35 01 080		
13	Siphon DN 38 x 4	40 03 040		
14	Standpipe, bottom part	62001805		
15	Seal ø 83.5 x ø 52 x 2.0	62001749		
16	O-ring ø 46 x 6	27 07 015		
17	Heating element, cranked 2,2kW; 230V / 2,6kW 240V	31 03 082		GS 14 / GS 14 E
	Heating element, cranked 2,0kW; 240V	31 03 088		
	Heating element, cranked 2,2kW; 200V	31 03 108		
	Heating element, angled 5,0kW; 230/400V	31 03 089		GS 15 / GS 15 E
	Heating element, angled 5,0kW; 240/420V	31 03 094		
	Heating element, angled 5,0kW; 200/346V	31 03 103		
18	Clamping plate	01 17 003		
19	Hex nut M 5	21 01 203		
20	Link wire	31 23 088		
21	Stuffing box, thermostat	31 25 001		
22	Seal ø 14.2 x ø 20 x 2,0	27 09 036		
23	Hex nut M 14	31 25 002		
24	Surface strainer 300 x 110	62001943	2	
25	Surface strainer, centre piece 300 x 127	62001882		
26	Standpipe	29 04 250		Overflow height 185mm




GS 14 / GS 14 E / GS 15 / GS 15 E

Wash system I

Item	Designation	Part no.	Pc.	Notes
1	Pump 0.73kW; 230/240V; 50Hz	31 02 277		incl. item 1.1 – 1.15
	Pump 0,73kW; 230V; 60Hz	31 02 092		
	Pump 0,73kW; 200V; 50Hz	31 02 322		
	Pump 0,73kW; 200V; 60Hz	31 02 323		
1.1	Oval head screw M 4 x 8	20 10 310		
1.2	Fan hood	31 02 229		
1.3	Fan blade	31 02 230		
1.4	Hex nut M 4	21 01 202		
1.5	Washer ø 4.3	22 02 202		
1.6	Flange	31 02 378		
1.7	Sealing kit	80002670		incl. item 1.7.1 – 1.7.2
1.7.1	O-ring ø 158 x 3.5	31 02 209		
1.7.2	Dome head nut M 8	21 10 305		
1.8	Impeller ø 105mm	31 02 231		For pump with f = 50Hz
	Impeller ø 90mm	31 02 326		For pump with f = 60Hz
1.9	Pump housing	31 02 204		
1.10	O-ring ø 20 x 3.5	27 07 040		
1.11	Filler plug G 1/2" x 20.5	35 01 108		GS 14 / GS 14 E
1.12	Hex-head screw M 4 x 25	20 01 020		
1.13	Hex nut M 8	21 01 305		
1.14	Toothed lock washer ø 8.4	23 01 005		
1.15	Capacitor 20µF	31 13 062		
2	Hose clip ø 70 - ø 90	28 02 120		
3	Suction strainer ø 72 x 20	62001956		
4	Hose elbow DN 62 x 9,0	40 03 042		
5	Hex nut M 4	21 01 202		
6	Washer ø 4.3	22 02 202		
7	Terminal block	31 09 011		
8	Pan-head screw M 4 x 15	20 10 213		
9	Pump cover	62001540		
10	Motor bracket	60001939		up to mach. no. 361 103 from mach. no. 361 104 at the supporting frame
11	Washer ø 5.3	22 01 213		
12	Hex nut M 5, self-locking	21 05 302		




[illegible]



GS 14 / GS 15

Rinsing I


Item	Designation	Part no.	Pc.	Notes
1	Hex nut M 5	21 01 203		
2	Cap	31 03 014		
3	Clamping plate	01 17 003		
4	Heating element 2.2 kW; 230/240V	31 03 082		GS 14 / GS 14 E
	Heating element 2.0 kW; 240V	31 03 088		
	Heating element 2.0 kW; 200V	31 03 108		
	Heating element 5.0 kW; 230/400V	31 03 030		GS 15 / GS 15E
	Heating element 5.0 kW; 240/420V	31 03 032		
	Heating element 5.0 kW; 200/346V	31 03 098		
5	O-ring ø 46 x 6	27 07 015		
6	Hose connection piece G 3/4" x 1/2"	60002453		Incl. item 6.1
6.1	Seal ø 24 x ø 17 x 2	27 09 009		
7	Boiler cpl.	55 12 033		incl. items 7.1, 7.2
n.p.	Boiler	60001955		for 2 thermostates
7.1	Seal ø 18 x ø 10 x 1.5	27 03 003		
7.2	Hex-head screw M 10 x 16	20 01 352		
8	Boiler elbow cpl.	55 09 055		incl. item 8.1, 8.2
8.1	Cap nut	29 07 201		
8.2	Cutting ring	29 07 300		



GS 14 / GS 14 E / GS 15 / GS 15 E

Rinsing I AquaMatik (GS 14: ...345 471 / GS 15: ...345 620)


Item	Designation	Part no.	Pc.	Notes
1	Set tank inlet	60002686		incl. item 1.1, 1.2
1.1	Seal $\varnothing$ 20.5 x $\varnothing$ 28.5 x 2.0	27 01 002		
1.2	Hose clip $\varnothing$ 20 - 30 x 12	28 02 109		
2	Hose DN 13.5 x 3.5 x 650	40 02 002		Per metre
3	Hose clip $\varnothing$ 20 - 30 x 12	28 02 109		
4	Boiler, non-pressurised (front-to-back boiler conversion kit)	55 28 212		up to 10/98 angular
5	Hose clip $\varnothing$ 24 - $\varnothing$ 36 x 12	28 02 111		
6	Fabric hose DN 25 x 4 x 80	40 01 038		Per metre
7	Pump 0.27 kW; 1 x 220-240V; 50Hz	31 02 477		incl. item 7.1
	Pump 0.27 kW; 1 x 180-200V; 50Hz	31 02 446		
	Pump 0.27 kW; 1 x 180-200V; 60Hz	31 02 447		
	Pump 0.27 kW; 1 x 220-240V; 60Hz	31 02 445		
7.1	Capacitor 5 μ F; 250V; 50/60Hz	31 13 099		
8	Washer $\varnothing$ 5.3	22 01 300		
9	Hex nut M 5	21 01 203		
10	Pump support	60001994		Incl. hose clip 28 02 120
11	Clamping plate, galvanised	01 17 003		
12	Heating element 2.2 kW; 230/240V	31 03 082		GS 14 / GS 14 E
	Heating element 2.0 kW; 240V	31 03 088		
	Heating element 2,2 kW; 200V	31 03 108		
	Heating element 5,0 kW; 230/400V	31 03 030		GS 15 / GS 15E
	Heating element 5.0 kW; 240/420V	31 03 032		
	Heating element 5,0 kW; 200/346V	31 03 098		
13	O-ring $\varnothing$ 46 x 6	27 07 015		
14	Seal $\varnothing$ 18 x $\varnothing$ 10 x 1,5	27 03 003		
15	Hex-head screw M 10 x 16	20 01 352		
16	Float switch 250V; 15VA	55 28 255		
n.p.	Seal for float switch	31 26 036		
n.p.	Splash guard, rinse pump	60002153		



GS 14 / GS 14 E / GS 15 / GS 15 E

Rinsing I AquaMatik (GS 14: 345 472... / GS 15: 345 621...)


Item	Designation	Part no.	Pc.	Notes
1	Set tank inlet	60002686		incl. Item 1.1, 1.2
1.1	Seal $\varnothing$ 20,5 x $\varnothing$ 28,5 x 2,0	27 01 002		
1.2	Hose clip $\varnothing$ 20 - $\varnothing$ 30 x 12	28 02 109		
2	Hose DN 13.5 x 3.5 x 650	40 02 002		Per metre
3	Hose clip $\varnothing$ 20 - $\varnothing$ 30 x 12	28 02 109		
4	T-piece; $\varnothing$ 6,6 x $\varnothing$ 14 x $\varnothing$ 14	35 01 086		
5	Hose DN 13.5 x 3.5 x 350	40 02 002		Per metre
6	Boiler, non-pressurised	60002914		from 11/98 round (up to 10/98 angular)
	Boiler, non-pressurised	60002685		for 2 thermostates
6.1	Seal $\varnothing$ 18 x $\varnothing$ 10 x 1.5	27 03 003		
6.2	Hex-head screw M 10 x 16	20 01 352		
6.3	Float switch 250V; 15VA	55 28 255		
n.p.	Seal for float switch	31 26 036		
7	O-ring $\varnothing$ 46 x 6	27 07 015		
8	Heating element 2.2 kW; 230/240V	31 03 082		GS 14 / GS 14E
	Heating element 2.0 kW; 240V	31 03 088		
	Heating element 2,2 kW; 200V	31 03 108		
	Heating element 5,0 kW; 230/400V	31 03 030		GS 15 / GS 15E
	Heating element 5.0 kW; 240/420V	31 03 032		
	Heating element 5.0 kW; 200/346V	31 03 098		
9	Hex nut PG 13.5	31 10 040		
10	Clamping plate, galvanised	55 19 018		
11	Cable gland PG 13.5	31 10 041		
12	Hex nut M 5	21 01 203		
13	Cap	31 03 014		
14	Spring	62002419		
15	Cable binder	31 20 015		
16	Hose DN 5 x 1.5 x 700	40 01 024		Per metre
17	Hose clip $\varnothing$ 182 - 202 x 12	28 02 121		
18	Seal $\varnothing$ 28 x $\varnothing$ 21 x 2.0	27 09 011		Up to mach. no.:413 549
19	Connection nipple G 1/2" x 31	62002454		
20	Hose clip $\varnothing$ 24 - $\varnothing$ 36 x 12	28 02 111	2	
21	Fabric hose DN 25 x 4 x 80	40 01 038		Per metre
22	Pump 0.27kW; 1 x 220-240V; 50Hz	31 02 477		incl. item 22.1
	Pump 0.27kW; 1 x 180-200V; 50Hz	31 02 446		
	Pump 0.27kW; 1 x 180-200V; 60Hz	31 02 447		
	Pump 0.27kW; 1 x 220-240V; 60Hz	31 02 445		
22.1	Capacitor 5 μ F; 250V; 50/60Hz	31 13 099		
23	Washer $\varnothing$ 5.3	22 01 300		
24	Hex nut M 5, self-locking	21 05 302		
25	Pump cover	60002234		
26	Edge protection U 9,5 x 2,0 x 155	40 04 015		Per metre
30	Link wire	31 23 088		
n.p.	Splash guard	60002153		



GS 14 / GS 14 E / GS 15 / GS 15 E

Rinsing II (...396 847)


Item	Designation	Part no.	Pc.	Notes
1	Rinse manifold left	62002842		incl. item 1.1
1.1	Seal $\varnothing$ 17 x $\varnothing$ 24 x 2,0	27 09 009		Up to mach.no.: 381 854
	O-ring $\varnothing$ 16 x 2,5	27 07 001	4	From mach.no.: 381 855
2	Rinse manifold right	62002841		incl. item 2.1
2.1	Seal $\varnothing$ 17 x $\varnothing$ 24 x 2,0	27 09 009		Up to mach.no.: 381 854
	O-ring $\varnothing$ 16 x 2,5	27 07 001	4	From mach.no.: 381 855
3	Hex nut G 3/8" x 5.5	30 09 200	8	
4	Rinse jet adapter	60001810	8	
5	Cap nut for jet	62001174	8	
6	Rinse jet swirl	65002755	8	
7	Rinse jet cap	65002754	8	
8	Hose clip $\varnothing$ 20 - $\varnothing$ 30	28 02 306		
9	Hose DN 13.5 x 3.5 x 280	40 02 002	2	Per metre
10	Distributor for rinse manifold	62001391		
11	Shaped hose DN 13.5 x 3.5	62001573		Cut to size
12	Shaped hose DN 13.5 x 3.5	62001573		
	Hose set (AquaMatik)	60002554		Up to mach.no.: GS 14: 345 471 GS 15: 345 620
	Shaped hose DN 25 x DN 13.5 x 3.5 (AquaMatik)	60002235		From mach.no.: GS 14: 345 472 GS 15: 345 621
13	Kit revolving arm support	55 10 114		Inkl. revolving arm 62002891
13.1	Seal $\varnothing$ 17 x $\varnothing$ 24 x 2,0	27 09 009		Up to mach.no.: 381 854
	O-ring $\varnothing$ 16 x 2,5	27 07 001		From mach.no.: 381 855
13.2	Hex nut G 3/8" x 5.5	30 09 200		
13.3	Hose clip $\varnothing$ 20 - $\varnothing$ 30	28 02 306		
14	Support (anti-torsion device)	60002320		Retrofittable
15	Seal $\varnothing$ 34 x $\varnothing$ 27 x 2	27 09 025		
16	Revolving arm cpl.	62001958		incl. item 16.1 – 16.4
16.1	Revolving arm screw M 14 x 1	20 19 204		
16.2	Revolving arm socket G 3/4" x 24,5	35 01 161		
16.3	Grub screw M 11 x 8	29 10 239	2	
16.4	Fan jet	29 10 312	8	



GS 14 / GS 14 E / GS 15 / GS 15 E

Rinsing II (396 848...)


Item	Designation	Part no.	Pc.	Notes
1	Rinse manifold left	62002842		incl. item 1.1
1.1	O-ring $\varnothing 16 \times 2,5$	27 07 001	9	
2	Rinse manifold right	62002841		incl. item 2.1
2.1	O-ring $\varnothing 16 \times 2,5$	27 07 001	9	
3	Hex nut G 3/8" x 5.5	30 09 200	9	
4	Rinse jet adapter	60001810	8	
5	Cap nut for jet	62001174	8	
6	Rinse jet swirl	65002755	8	
7	Rinse jet cap	65002754	8	
8	Hose clip $\varnothing 20 - \varnothing 30$	28 02 306		
9	Hose DN 13.5 x 3.5 x 280	40 02 002	2	Per metre
10	Distributor for rinse manifold	62001391		
11	Shaped hose DN 13.5 x 3.5	62001573		Cut to size
12	Shaped hose DN 13.5 x 3.5	62001573		
	Shaped hose DN 25 x DN 13.5 x 3.5	60002235		AquaMatik
13	Revolving arm support cpl.	62002879		incl. item 13.1 – 13.3
13.1	O-ring $\varnothing 16 \times 2,5$	27 07 001	9	
13.2	Hex nut G 3/8" x 5.5	30 09 200	9	
13.3	Hose clip $\varnothing 20 - \varnothing 30$	28 02 306		
14	Support (anti-torsion device)	60002320		
15	Revolving arm cpl.	62002891		incl. item 15.1 – 15.3
15.1	Flat-jet nozzle; size 8	62002811	7	
15.2	Lock nut	62002812	7	
15.3	Screw lid	62002813		



GS 14 / GS 14 E / GS 15 / GS 15 E

Dosing



Item	Designation	Part no.	Pc.	Notes
1	Clear rinse container	60001805		
2	Protective cap	60002216		
3	Gauge plug $\varnothing$ 30 x 25	40 06 011		
4	Suction tube	60001933		
5	Cable binder	31 20 015		
6	Hose DN 5 x 1.5 x 650	40 01 024		Per metre
7	Dosing nipple for detergent	62002869		incl. item 7.1
7.1	O-ring $\varnothing$ 10 x 2,5	27 07 030		
	Seal $\varnothing$ 18 x $\varnothing$ 10 x 1.5			Replacement for item 7
n.p.	Slip-on cap $\varnothing$ 6 x 15	35 03 023		Without detergent dosing device
8	Spring 0.8 x 10 x 280	62002419		
9	Hose DN 5 x 1.5 x 300	40 01 024		Per metre
10	Hose DN 5 x 1.5 x 300	40 01 024		
11	Washer $\varnothing$ 5.3	22 01 300		
12	Hex nut M 5, self-locking	21 05 302		
13	Dosing device ELT 10 GS RE cpl.	80000555		With detergent dosing: 2 ELT 10; see separate spare parts list
14	Dosing device support cpl.	60002326		With detergent dosing
15	Suction stick cpl.	55 25 051		For detergent dosing
n.p.	ELT 10 installation kit for detergent	55 28 188		GS 14 / GS 15
n.p.	ELT 10 installation kit for detergent	55 28 216		GS 14 E / GS 15 E



GS 14 / GS 14 E / GS 15 / GS 15 E

Panelling, base frame and accessories


Item	Designation	Part no.	Pc.	Notes
1	Cover plate	60001825		
2	Hex nut M 4, self-locking	21 05 300		
3	Auxiliary wire, panel	60002328		
4	Rear panel, long	60001911		Optional extra
	Rear panel 3/4 long	60001909		
	Sheet-metal nut B 3.9	21 17 300	6	
	Sheet-metal screw B 3.9 x 13	20 21 302	6	
5	Splash angle for trough	60001957	2	Up to machine no.: 347 540
6	Strain relief device	31 10 126		
7	Motor bracket	60001939		
8	Washer $\varnothing$ 5.3	22 02 213		
9	Hex nut M 5, self-locking	21 01 302		
10	Supporting frame	60001812		
	Supporting frame	60002022		Japan
11	Adjusting foot M 8 x 60	62001973	4	
12	Sheet-metal nut B 3.9	21 17 300		
13	Hex nut M 6	21 01 304		
14	Clamp strap	31 09 095		
15	Pan-head screw M 5 x 20	20 10 325		
16	Front panel	60001871		Up to machine no.: 347 539
17	Countersunk screw M 3 x 16	20 08 205		
18	Magnetic lock	28 05 044		
19	Hex nut M 3	21 01 301		
20	Threaded cap M 4 x $\varnothing$ 12	28 14 331		
21	Annular spring $\varnothing$ 15.3 - $\varnothing$ 16.3 x $\varnothing$ 1.2	23 12 300		
22	Front panel	60002189		From machine no.: 347 540
23	Trough screen	60001801		Up to machine no.: 347 539
24	Seal M 4	22 08 502		
25	Oval head screw M 4 x 8	20 10 310		
26	Housing	60002003		
27	Profile packing 10 x 4 x 550 (per metre) at the top	62001618		Up to machine no.: 358 343
	door packing	60002704		From machine no.: 358 344
28	Panel left	60001905		Up to machine no.: 347 539
	Panel left	60002264		From machine no.: 347 540
	Panel right	60001907		Up to machine no.: 347 539
	Panel right	60002266		From machine no.: 347 540
29	Sheet-metal screw B 3.9 x 13	20 20 310		
n.p.	"CE" label	28 03 337		
n.p.	Base plate	60002023		Optional extra
n.p.	Silicon adhesive Elastosil E43 (50ml)	34 03 012		For profile packing



GS 14 / GS 14 E / GS 15 / GS 15 E

Door


Item	Designation	Part no.	Pc.	Notes
1	Door suspension right	60001837		
n.p.	Door suspension left	60001841		
2	Washer ø 5.3	22 05 301		
3	Hex nut M 5, self-locking	21 05 302		
4	Buffer ø 20 x 8	62001433	4	
5	Torsion spring right	62001189		
	Torsion spring left	62001190		
6	Pivot bearing, tension spring ø 20 x 14	62001191	2	
7	Door lever roller / tension spring set (both sides)	55 28 193		incl. items 7.1 – 7.3
7.1	Lock washer ø 6 x 1.1	23 10 304		
7.2	Hose clamp ø 9	28 02 133	2	
7.3	Hex nut M 5, self-locking	21 05 302		
8	Door brace right	62001836		
n.p.	Door brace left	62001837		
9	Countersunk screw M 5 x 12	20 12 303		
10	Splash angle set	55 28 200		From mach.no.: GS 14: 347 543 GS 15: 347 601 Can be retrofitted to all machines
11	Lock washer ø 6 x 0.7	23 10 304	4	
12	Door cpl.	60001890		incl. item 12.1
12.1	Door handle	55 15 163		incl. items 12.1.1 – 12.1.5
12.1.1	Plastic expanding nut	62002832		
12.1.2	Sheet-metal screw B 3.9 x 16	20 20 306		
12.1.3	Plug for door handle	35 01 213	4	
12.1.4	Magnet ø 10 x 10	31 24 191		
12.1.5	Profile packing 2.5 x 9.5 x 594.5	62001953		Made from 62001948




GS 14 / GS 14 E / GS 15 / GS 15 E

Electrical parts I

Item	Designation	Part no.	Pc.	Notes
1	Hose DN 5 x 1.5 x 1100 (per metre)	40 01 024		GS14 E, GS15 E
2	Cable binder	31 20 014		
3	T-piece	29 06 516		
4	Clamping spring	31 26 001		GS14 E, GS15 E
5	support for 2 level controller	60002733		
6	Hex nut M 4, self-locking	21 05 300		
7	Washer $\varnothing$ 4.3	22 02 202		
8	Level controller 250V; 50/60Hz; 60/120 $\pm$ 5	31 26 035		
9	Level controller	31 26 042		GS14 E, GS15 E
n.p.	Add-on kit safety device drain pump	55 28 243		
10	PT screw KB 50 x 10	20 17 304		
11	Magnetic switch 180-265V 50/60Hz	31 24 221		
12	Earth symbol green/yellow	31 09 096		
13	Flat plug	31 12 003		
14	Coupling element, insulated	31 12 021		
15	Terminal strip; 16-pin	31 09 154		Older machines
16	Switch panel	55 19 100		Incl. items 16.1 – 16.4
16.1	Strip label "GS 14"	60002454		
	Strip label "GS 14 E"	60002350		REG
	Strip label "GS 15"	60002455		
	Strip label "GS 15 E"	60002351		REG
16.2	Strip label "Winterhalter"	60001828		
16.3	Sheet-metal screw	20 20 310		
16.4	Sheet-metal nut	21 17 303		
17	LED red; 12V	31 08 111		REG; GS 14 E, GS 15 E
18	LED yellow; 12V	31 08 112		DOS; optional extra
19	Terminal strip; 9-pin	31 09 155		
20	Thermostat 230V; 1750mm	31 25 013	2	
21	Safety thermostat	31 25 030	2	
22	Thermostat support	62002064		
23	Hex nut M 5, self-locking	21 05 302		
24	Safety cover for thermostat	60002063		From machine no.: 337 619
25	Pan-head screw M 4 x 8	20 10 309		
26	Countersunk screw M 4 x 6	20 12 302	3	
27	Push-button white 250V	31 24 129		MANUAL RINSE
28	Push-button white 250V	31 24 128		MANUAL WASH
29	Push-button white 250V	31 24 130		PROGRAMME II
30	Push-button white 250V	31 24 153		PROGRAMME I
31	Lamp white 230V	31 08 116		HEATING
32	Push-button "W" green 250V	31 24 185		ON-OFF
n.p.	Push-button white 250V	31 24 192		HEATING MANUAL (option)
33	Air chamber cpl.	55 04 024		Incl. item 33.1
33.1	O-Ring 24 x 3	27 07 026		
	Seal $\varnothing$ 36 x $\varnothing$ 26 x 2			Replaced by 55 04 24
34	Hose DN 5 x 1.5 x 1100 (per metre)	40 01 024		
35	Catch leadthrough	31 10 069		
36	Level controller support	62001350		




[illegible]



GS 14 / GS 14 E / GS 15 / GS 15 E

Drain pump (option) (GS 14E / GS 15 E: ...360 703)
(GS 15: ...360 711)


Item	Designation	Part no.	Pc.	Notes
1	Hex-head screw M 6 x 16	20 01 306		
2	Lock washer B 6	23 03 300		
3	Support	62001954		
4	Washer $\varnothing$ 5.3 x $\varnothing$ 10 x 1.0	22 01 300		
5	Hex nut M 5, self-locking	21 05 302		
6	Spiral hose DN 18.5 x 1500	40 01 039		
7	Rubber bushing $\varnothing$ 35 x $\varnothing$ 60 x 10	40 07 014		Only with option "rear panel long"
8	Hose clip $\varnothing$ 24 - $\varnothing$ 36 x 12	28 02 111		
9	Drain pump 220-340V; 50Hz	31 02 010		
n.p.	Fan blade	31 02 256		
n.p.	Pump housing	31 02 344		
10	Hose elbow for drain pump	62002804		Adapt
11	Hose clip $\varnothing$ 32 - $\varnothing$ 52 x 12	28 02 110		
12	Standpipe; overflow height 170mm	60002518		
13	Set Standpipe, bottom part	55 28 223		GS 14 E / GS 15 E
14	Shaped hose	62002145		GS 14 E / GS 15 E from regenerated waste outlet
15	Locking nut G 1/2"	30 09 201		
16	Seal $\varnothing$ 28 x $\varnothing$ 21 x 2	27 09 011		After removing Mediamat
17	Filler plug G 1/2" x 20,5	35 01 108		
n.p.	Mounting kit for drain pump	55 28 159		
n.p.	Cable for drain pump	62001929		



GS 14 E / GS 15 / GS 15 E

Drain pump (option) (GS 14 E / GS 15 E: 360 704...)
(GS 15: 360 712...)

Item	Designation	Part no.	Pc.	Notes
1	Standpipe; overflow height 170mm	60002518		
2	Hose clip $\varnothing$ 32 - $\varnothing$ 52 x 12	28 02 110		
3	T-piece	60002434		
4	Hose clamp $\varnothing$ 20 - $\varnothing$ 30	28 02 109		
5	Hose stem 1/2" x 3/4"	29 06 520		
6	Hose clip $\varnothing$ 24 - $\varnothing$ 36 x 12	28 02 111		
7	Spiral hose $\varnothing$ 18.5 x 1500	40 01 039		
8	Rubber bushing $\varnothing$ 35 x $\varnothing$ 60 x 10	40 07 014		Only with option "rear panel long"
9	Drain pump 220-340V; 50Hz	31 02 010		
n.p.	Set of seals for drain pump	31 02 050		Incl. impeller
n.p.	Fan blade	31 02 256		
n.p.	Pump housing	31 02 344		
10	Hex-head screw M 6 x 16	20 01 306		
11	Lock washer B 6	23 03 300		
12	Support	62001954		
13	Washer $\varnothing$ 5.3 x $\varnothing$ 10 x 1.0	22 01 300		
14	Hex nut M 5, self-locking	21 05 302		
15	Hose elbow for drain pump	62002804		GS 14
16	Tube section $\varnothing$ 25 x 1.5 x 30	60002131		GS 14 E / GS 15 / GS 15 E
17	Standpipe, bottom part	62001805		
18	Hose DN 13,5 x 3,5 x 550	40 02 002		per metre
19	Hose DN 19 x 3,5 x 500	40 01 016		per metre
n.p.	Mounting kit for drain pump	55 28 159		
n.p.	Cable for drain pump	62001929		



GS 14 / GS 15

Anti-freeze (option)

Item	Designation	Part no.	Pc.	Notes
1	Hose clip $\varnothing$ 14 - $\varnothing$ 24 x 9	28 02 108	8	
2	Hose DN 13.5 x 3.5 x 940	40 02 002		Per metre
3	Hose stem G 3/8"; $\varnothing$ 12.5 x 40	61002776	5	
4	Ball valve G 3/8"	29 03 503	3	
5	Hose DN 13.5 x 3.5 x 1060	40 02 002		Per metre
6	Connecting T-piece for hose $\varnothing$ 13	29 06 508	2	
7	Hose DN 13.5 x 3.5 x 400	40 02 002		Per metre
8	Hose DN 13.5 x 3.5 x 200	40 02 002		
9	Hose DN 13 x 4.0 x 830	40 03 055		
10	Hose DN 13 x 4.0 x 830	40 03 055		
11	Reducing nipple G 1/2" x G 3/8"	30 11 302		
12	Elbow G 3/8"	30 02 103		
13	Double nipple G 3/8" x 32	30 11 200		
14	Support	80001021		
15	Retaining plate	80001022		
16	Hex-head screw M 5 x 16	20 01 309		
17	Hex nut M 5, self-locking	21 05 302		
n.p.	Retrofit kit cpl.	80001658		